



KOSSAN



PAINT

DECORATIVE COLLECTIONS

INTERIOR & EXTERIOR USE






Name Behind Quality



KOSAQUA ECO SERIES

Water-based Paint Enamel For Interior And Exterior Metal & Wood

| | | | | |
|--|---|---|--|---|
|  |  |  |  |  |
| Peach Pinch 2-6-2 | Tropical Coral 2-6-5 | Siesta 1-5-6 | Orange Harvest 1-3-6 | Cotilian Red 263 |
|  |  |  |  |  |
| Dusty Apricot 3-6-2 | Prairie Peach 3-4-3 | Petite Peach 3-4-5 | Mandarin 1-8-5 | Sunblest Poppy 1-7-7 |
|  |  |  |  |  |
| Lily White 311 | Sassy Yellow 1-12-2 | Flicker 1-11-4 | Lemon 1-10-5 | Fairy Light 1-11-7 |
|  |  |  |  |  |
| Candelabra 4-13-1 | Golden Nectar 3-13-3 | Honeynut 3-12-4 | Electric Yellow 1-15-7 | Jasmine 1129 |
|  |  |  |  |  |
| Pale Star 3-16-1 | Green Whisper 3-16-3 | Cool Vista 2-21-4 | Heartland 4-17-4 | Cactus Shade 4-17-6 |
|  |  |  |  |  |
| Mint Frost 3-25-1 | Jade Isle 3-26-3 | Cielo 2-27-3 | Turquoise 1401 | Deep Sea Green 2-27-7 |
|  |  |  |  |  |
| Mariner 5-31-2 | Soft Ballad 4-37-3 | Mist Blue 1028 | Skyline 3-33-4 | Rainy Night 3-35-6 |
|  |  |  |  |  |
| Grey Moth 4-41-1 | Soft Serenade 3-43-3 | Rose Breath 3-44-4 | Venus Light 3-41-4 | Shanghai Purple 3-43-6 |
|  |  |  |  |  |
| Smoke Ring 5-20-1 | Flannel 5-20-3 | Otter Skin 5-29-4 | Elephant Walk 5-15-5 | Fortress 5-20-5 |
|  |  |  |  |  |
| Silica Sand 3-9-2 | Copper Canyon 3-8-5 | Indian Sunset 4-7-6 | Gatepost 5-5-5 | Brunette 5-5-7 |
|  |  |  |  |  |
| Sunstraw 3-8-3 | Arizona Sunset 3-6-6 | Field Oak 142 | Woodland Olive 1117 | Dry Fig 5-16-7 |
|  |  |  |  |  |
| Natural Oak 4052 | Coral Bead 3-4-6 | Rockies Red 184 | Robust Red 222 | Rum'n Cola 5-1-6 |

* Also available in White 101 and Black 122

* Colour shown in this colour card are as close to actual colours as modern printing techniques allow.

* All colours shown can be used as HIGH GLOSS and SATIN finish.

* KOSAQUA ECO SERIES HIGH GLOSS

KAE - HG - XXX

* KOSAQUA ECO SERIES SATIN FINISH

KAE - ST - XXX



- Excellent durability against harsh weather.
- Effective mould and fungus resistance.
- Excellent dirt, flaking and alkali resistance.
- Good adhesion to cement and unglazed tile surfaces.
- Good hinding power & film-build after dry.
- Lead-free and mercury-free.



Matahari RC - 651



Tunderball Red RC - 113



Istana Maroon RC - 522



Golden Tea RC - 654



Blue Grey RC - 601



Dark Grey RC - 167



Brick Red RC - 350



Wira Blue RC - 221



Pecan Pie RC - 566

• Colours shown in this card are as close to actual colours as modern printing techniques allow.

PAINTING SYSTEM

| SURFACES | | PRIMER | NO OF COAT | UNDERCOAT | NO OF COAT | FINISH / TOP COAT | NO OF COAT |
|--------------------------------------|-----------------|---|------------|------------------|------------|---|------------|
| WALL & CEILING | INTERIOR | KOSSAN Sealbond (or) Koseal 5400 | 1 | N.R | - | Ematex Super (or) K-Ezy Clean | 2 |
| | EXTERIOR | KOSSAN Ultra Seal Eco (or) Koseal 5100 | 2 | N.R | - | K-Shield Eco/Extra (or) Ultra Clean | 2 |
| ROOF TILES | EXTERIOR | N.R | - | N.R | - | Kossan RofCoat | 2 |
| MILD STEEL / METAL | INTERIOR | Koskyd ZP Primer | 1 | N.R | - | Koskyd High Gloss Finish | 1~2 |
| | | Kosaqua Prime (Water Base) | 1 | N.R | - | Kosaqua Eco HG (or) Kosaqua Eco ST (Water Base) | 2 |
| | EXTERIOR | Koskyd ZP Primer | 1 | N.R | - | Koskyd High Gloss Finish | 1~2 |
| | | Kosaqua Prime (Water Base) | 1 | N.R | - | Kosaqua Eco HG (or) Kosaqua Eco ST (Water Base) | 2 |
| WOOD / TIMBER | INTERIOR | N.R | - | Koskyd Undercoat | 1 | Koskyd High Gloss Finish | 1~2 |
| | | N.R | - | N.R | - | Kosaqua Eco HG (or) Kosaqua Eco ST (or) Kossan Timber Lux | 2 |
| | EXTERIOR | N.R | - | Koskyd Undercoat | 1 | Koskyd High Gloss Finish | 1~2 |
| | | N.R | - | N.R | - | Kosaqua Eco HG (or) Kosaqua Eco ST (or) K-Timber Master | 2 |
| GALVANISED / NON-FEROUS METAL | EXTERIOR | Kosetching PVB Primer | 1 | N.R | - | Koskyd High Gloss Finish (or) Kosacylic Finish | 1~2 |
| | | Transpoxy Uniprimer 91.71 | 1 | N.R | - | Transurethane Finish (or) Transothane Finish | 2 |
| F.R.P | INTERIOR | Transpoxy Uniprimer 91.71 | 1 | N.R | - | Koskyd High Gloss Finish | 1~2 |
| | EXTERIOR | Transpoxy Uniprimer 91.71 | 1 | N.R | - | Transurethane Finish (or) Transothane Finish | 2 |


Remarks: Recoating time for single pack finish on top of epoxy primer should be recoated within 3-12 hours, if the application on hot surface the recoating time may reduce, it is advisable to perform light sanding if recoating time is prolonged, to avoid from intercoat adhesion failure.




Pink Red

Frosted Rose
1-50-6

Blaze
3-1-7




Pink Lemonade 1-48-2



Shell's Illusion 1-50-2



Subtle Orange 2-2-2



Hush Rose 3-1-2



Thousand Island 3-50-2



Day Dawn 4-2-2



Pink Elephant 1-47-3



Bare Essence 1-50-4



Fallen Petal 1-1-3



Pink Dusk 3-1-4



Rose Beige 3-50-4



Rambling Rose 4-2-4



Ceramic Pink 1-48-5



Frosted Rose 1-50-6



Mango 2-2-5



Bravado 3-1-6



Bryce Canyon 3-50-5



Prudence 4-2-6



Czarina 1-48-7



Cerise Delight 1-50-7



Delectable 1-1-7



Blaze 3-1-7



Rajah 3-50-7



Cinnamon 4-2-7



Bright White

Castilian Gold
5-16-1


Cool Hint
3-35-2




Apricot Ice 2-4-1




Peach Pinch 2-6-2




Absinthe Mist 2-20-1



Melon Ice 3-24-1



Impressionist Sky 2-29-1



Cool Hint 3-35-2



Peach Melba 3-4-2



Walkabout 4-4-2




Soft Moss 4-17-2




Green Sweeps 4-23-2




Hidden Mirage 3-30-2




Breaker 4-33-2



Castilian Gold 5-16-1




Candelabra 4-13-1




Snowdrift 5-15-1




Accord 4-47-1




Shooting Star 2-41-1




Ophelia Violet 1-40-1




Parmesan 1-10-2



Wheat Husk 3-11-2



Silica Sand 3-9-2



Tan Blush 5-1-1



Iris Mauve 3-43-2



Dusky Iris 4-43-2




| | | | | | |
|-----------------------------|-------------------------------|---------------------------------|------------------------------|------------------------------|-----------------------------|
| | | | | | |
| Hydro 1-30-2 | Ocean Mist 1-33-2 | Star of Bethlehem 1-34-2 | Pyrenees Morn 1-36-2 | Baby Blue 3-33-3 | Kind Sky 3-36-2 |
| | | | | | |
| Bogong Ranges 2-29-3 | Watercolor Blue 1-33-4 | Dresden Blue 1-34-4 | Riverside Blue 1-36-4 | Sea Breeze 3-33-5 | Blue Emotion 3-36-4 |
| | | | | | |
| Ocean Wave 1-30-5 | Sky High 1-33-6 | Blue Madonna 1-34-5 | American Blue 1-36-6 | Rainy Night 3-35-6 | Blue Divinity 3-36-5 |
| | | | | | |
| Peacock 1-30-7 | Stargazer 1-33-7 | Horizon Blue 1-34-7 | Electric Blue 1-36-7 | Victor Harbour 3-33-7 | Academy Blue 3-36-7 |



| | | | | | |
|-----------------------------|-----------------------------|------------------------------|----------------------------|------------------------------|----------------------------|
| | | | | | |
| Sonata 1-16-2 | Willow Green 2-18-3 | Willowbrook 3-18-2 | Azuro 2-21-3 | Softly Chiming 2-25-2 | Shy Green 4-27-2 |
| | | | | | |
| Fluorescent 1-17-4 | Artesian Well 1-19-4 | Nottingham 3-17-4 | Placid Green 2-23-4 | Gentility 2-24-3 | Shady Knoll 4-26-3 |
| | | | | | |
| Spring Eve 1-17-6 | Green Island 1-19-6 | Olive Branch 3-17-6 | Grace Green 2-21-6 | Green Summit 1-24-6 | Daylesford 4-26-5 |
| | | | | | |
| Green Sulphur 1-17-7 | Pixieland 1-21-7 | Crispy Lettuce 3-18-7 | Eden 2-23-7 | Dublin 2-25-7 | Intense Jade 4-26-7 |

• Colours shown in this card are as close to actual colours as modern printing techniques allow.



| | | | | | |
|--------------------------|----------------------------|-----------------------------|---------------------------|-----------------------------|------------------------------|
| | | | | | |
| Tiffany 1-15-2 | Sassy Yellow 1-12-2 | Lemon Delight 1-11-2 | Acapulco Sun 1-8-2 | Apricot Blush 1-5-2 | Perfectly Peach 1-5-3 |
| | | | | | |
| Sensation 1-15-4 | Sassy Daisy 1-12-4 | Flicker 1-11-4 | Fairy Gold 1-8-4 | Sunburst 1-7-3 | Jaffa Orange 1-5-5 |
| | | | | | |
| Fluorite 1-15-5 | Dandelion 1-12-6 | Banana Alley 1-10-6 | Mandarin 1-8-5 | Zinnia Scent 1-7-5 | Siesta 1-5-6 |
| | | | | | |
| The Louvre 1-15-6 | Gold Finger 1-12-7 | Fairy Lights 1-11-7 | Orange Peel 1-8-6 | Sunblest Poppy 1-7-7 | Orange Harvest 1-3-6 |




| | | | | | |
|-----------------------------|-----------------------------|----------------------------|------------------------------|-----------------------------|-----------------------------|
| | | | | | |
| Sugar Glider 1-45-2 | Rose Quartz 2-43-2 | Chaste 1-42-2 | Easter Egg 2-41-3 | Fascination 1-40-2 | Indulgence 3-41-2 |
| | | | | | |
| Angel Food 1-45-4 | Ethereal Rose 2-43-4 | Arabesque 1-42-3 | Pale Pansy 2-41-4 | Mystic Orchid 1-40-4 | Venus Light 3-41-4 |
| | | | | | |
| Sweet Bouquet 1-45-6 | Pink Bloom 1-43-5 | Swirl 1-42-5 | Violet Harmony 2-41-5 | Shadow Lilac 1-40-5 | Tyrian Purple 3-41-5 |
| | | | | | |
| Lipstick 1-45-7 | Pink Parasol 1-43-7 | Sweet Sachet 1-42-7 | Purple Tryst 2-41-7 | Purple Empire 1-40-7 | Hocus Pocus 3-41-7 |

• Colours shown in this card are as close to actual colours as modern printing techniques allow.



| | | | | | |
|------------------------|---------------------------|-----------------------------|------------------------------|--------------------------|------------------------------|
| | | | | | |
| Overcast 5-20-2 | Night Sail 5-29-2 | Supernova 5-37-3 | Moonlit Bay 5-34-2 | Mariner 5-31-2 | Oyster Point 5-38-2 |
| | | | | | |
| Chasm 5-20-4 | Otter Skin 5-29-4 | Silver Lining 5-37-4 | Dawn Glow 5-34-4 | Misty Rain 5-31-4 | Pebble Walk 5-38-3 |
| | | | | | |
| Fortress 5-20-5 | Beaux Grey 5-29-5 | Thunder Grey 5-37-5 | Weathered Blue 5-34-5 | Blue Wish 5-31-5 | Harbour Bridge 5-38-4 |
| | | | | | |
| Graphite 5-20-6 | Shadow Wood 5-29-6 | Griffin Grey 5-37-6 | Wind Dancer 5-34-6 | Outrigger 5-31-6 | Barramundi 5-38-5 |



| | | | | | |
|--------------------------|-------------------------------|---------------------------|----------------------------|----------------------------|-----------------------------|
| | | | | | |
| Balsa 4-10-2 | Thatch Roof 5-11-3 | Camel 5-10-3 | Spun Silk 5-4-2 | Boulder Bluff 5-6-3 | Wind Star 5-15-3 |
| | | | | | |
| Cavern Sand 4-9-4 | Homestead 5-11-4 | Suede 5-10-4 | Burke & Wills 5-3-4 | Brazil Nut 5-5-4 | Elephant Walk 5-15-5 |
| | | | | | |
| Topaz 4-10-6 | Jacaranda Brown 5-11-5 | Teddy Bear 5-9-5 | Muddy Paws 5-4-5 | Gatepost 5-5-5 | Bake House 5-12-5 |
| | | | | | |
| Bourbon 4-9-7 | Sparrow 5-11-6 | Hearth Brown 5-9-6 | Hiking Path 5-3-6 | Firewood 5-5-6 | Dry Bamboo 5-12-6 |

• Colours shown in this card are as close to actual colours as modern printing techniques allow.

PRODUCT SELECTION CHART

EXTERIOR

| | | | |
|---------------------|---|--|--|
| Products |  K-Shield Eco |  K-Shield Extra Eco |  Rofcoat |
| Product Type | Water Base | Water Base | Water Base |
| Finishing | Matt | Matt | Mid sheen |

ECO FRIENDLY



| | | | |
|--------------------------------|---|--|---|
| Low VOC |  |  | |
| APEO Free |  |  | |
| Lead & Mercury Free |  |  |  |
| Formaldehyde Free |  |  |  |

FUNCTIONAL BENEFITS

| | | | |
|---|---------|---------|---------|
| Performance | 7 Years | 8 Years | 5 Years |
| Excellent durability against harsh weather | +++ | ++++ | +++ |
| Algae / fungus resistance | +++ | +++ | +++ |
| Dirt pick-up, flaking, water & alkali resistance | +++ | +++ | +++ |
| Good adhesion to all exterior substrate surfaces | +++ | +++ | +++ |
| Good flow properties and good coverage | +++ | +++ | +++ |
| Good hiding power & film-build after dry | ++ | ++ | ++ |
| Reduce internal temperature | - | ++ | - |

APPLICATION DATA

| | | | |
|-----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Theoretical Coverage | 10-12 m ² Litre / coat | 11-13 m ² Litre / coat | 13-15 m ² Litre / coat |
| Number of coats | 2 | 2 | 2 |
| Diluents / Cleaner | Clean water (0-5%) | Clean water (0-5%) | Clean water (0-5%) |

RECOMMENDED WALL SEALER / PRIMER















| | | | |
|---|----------------------------------|----------------------------------|----------------------------------|
| Products | Ultra-Seal Eco / Koseal 5100 | Ultra-Seal Eco / Koseal 5100 | N.R. |
| Alkali & Efflorescent Resistance | +++ / +++ / + | +++ / +++ / + | + |
| Adhesion | +++ / +++ | +++ / +++ | N.A. |
| Number of coats | 1 | 1 | 1 |
| Theoretical Coverage | 9-11 m ² Litre / coat | 9-11 m ² Litre / coat | 8-10 m ² Litre / coat |
| Diluents / Cleaner | Clean water | Clean water | Clean water |

INTERIOR

| | | | | |
|---------------------|---|---|---|---|
| Products |  |  |  |  |
| | K-Ezy Clean | K-Ezy Clean Pearl Sheen | Ematex Super | Ematex |
| Product Type | Water Base | Water Base | Water Base | Water Base |
| Finishing | Matt | Mid Sheen | Matt | Matt |

ECO FRIENDLY



| | | | | |
|--------------------------------|---|---|---|---|
| Low VOC & Odour |  |  | | |
| APEO Free |  |  |  |  |
| Lead & Mercury Free |  |  |  |  |
| Formaldehyde Free |  |  |  |  |

FUNCTIONAL BENEFITS

| | | | | |
|---|---------|---------|-------|-------|
| Adhesion to all Interior Substrate Surface | +++ | +++ | +++ | ++ |
| Anti-Bacterial & Mould Resistance | ++ / ++ | ++ / ++ | - / + | - / + |
| Stain removal | +++ | +++ | + | + |
| Good Flow & Leveling Properties | ++ | ++ | ++ | + |
| Good Hiding Power & Film Build After Dry | ++ | ++ | ++ | ++ |
| Abrasion Resistance | +++ | +++ | + | + |
| Water Resistance | +++ | +++ | + | + |
| Easy to apply | +++ | +++ | ++ | ++ |
| Anti-Peeling & Flaking | +++ | +++ | ++ | ++ |
| Economy | + | + | ++ | +++ |

APPLICATION DATA

| | | | | |
|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|
| Theoretical Coverage | 10-12 m ² Litre / coat | 10-12 m ² Litre / coat | 9-11 m ² Litre / coat | 9-11 m ² Litre / coat |
| Number of coats | 2 | 2 | 2 | 2 |
| Diluent / Cleaner | Clean water (0-5%) | Clean water (0-5%) | Clean water (0-5%) | Clean water (0-5%) |

RECOMMENDED WALL SEALER / PRIMER

| | | | | |
|---|-------------------------------------|-------------------------------------|----------------------------------|----------------------------------|
| Products | Ultra-Seal Eco / Koseal 5100 / 5400 | Ultra-Seal Eco / Koseal 5100 / 5400 | Kossan Sealbond / Koseal 5400 | Kossan Sealbond / Koseal 5400 |
| Alkali & Efflorescent Resistance | +++ / +++ / + | +++ / +++ / + | + | + |
| Adhesion | +++ / +++ / ++ | +++ / +++ / ++ | ++ | ++ |
| Number of coats | 2 | 2 | 2 | 1 |
| Theoretical Coverage | 9-11 m ² Litre / coat | 9-11 m ² Litre / coat | 8-10 m ² Litre / coat | 8-10 m ² Litre / coat |
| Diluents / Cleaner | Clean water | Clean water | Clean water | Clean water |

WOOD & METAL

INTERIOR & EXTERIOR

| | | | | |
|---------------------|---|---|--|--|
| Products |  Kosaqua Eco HG / ST Series |  Koskyd High Gloss Finish |  K-Timber Master |  Kossan Timber Lux |
| Product Type | Water Base | Solvent Base | Water Base | Solvent base |
| Finishing | High Gloss & Satin | High Gloss | Matt | High Gloss |

ECO FRIENDLY



| | | | | |
|--|---|---|---|---|
| Low VOC and low odor |  | |  | |
| Lead, mercury and heavy metals Free |  |  |  |  |

FUNCTIONAL BENEFITS

| | | | | |
|--|-----------|--------------|-----|-------------|
| UV Resistance | ++ / ++ | ++ / ++ | +++ | ++ |
| Gloss | +++ / ++ | ++++ / +++++ | + | ++++ |
| Fast Drying | ++ / ++ | + / + | +++ | + |
| Flow & Leveling Properties | +++ / +++ | ++++ / +++++ | ++ | ++++ |
| Resistance to Yellowing | +++ / +++ | ++ / ++ | +++ | ++ |
| Water Resistance | ++ / ++ | ++ / ++ | ++ | ++ |
| Hiding Power & Film Build After Dry | +++ / +++ | ++ / ++ | ++ | Transparent |
| Emboss Natural Wood Grain | ++ / ++ | + / + | + | ++ |
| Fungus Resistance | ++ / ++ | ++ / ++ | +++ | ++ |

APPLICATION DATA

| | | | | |
|-----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Theoretical coverage | 14-16 m ² Litre / coat | 12-16 m ² Litre / coat | 14-16 m ² Litre / coat | 12-14 m ² Litre / coat |
| Number of coats | 2-3 | 2 | 2 | 2 |
| Diluent / Cleaner | Clean water (10-20%) | Std Thinner T6.00 (0-5%) | Clean water (0-5%) | Std Thinner T6.00 (0-15%) |

RECOMMENDED PRIMER FOR WOOD & METAL

| | | | | |
|-------------------------------------|----------------------------------|-------------------------------------|------|------|
| Products | Kosaqua Prime | Koskyd Undercoat / Koskyd ZP primer | N.R. | N.R. |
| Adhesion | ++ | ++ / ++ | N.A. | N.A. |
| Corrosion Resistance (Metal) | ++ | ++ | N.A. | N.A. |
| Number of coats | 1 | 1 | N.A. | N.A. |
| Theoretical coverage | 9-11 m ² Litre / coat | 14-16 m ² Litre / coat | N.A. | N.A. |
| Diluent / Cleaner | Clean water | Std Thinner T6.00 | N.A. | N.A. |
















Koskyd K9000

Interior And Exterior Metal & Wood Surface

| | | | | | |
|--|---|---|--|---|---|
|  |  |  |  |  |  |
| Pearl White 9915 B.S.10B15 | Ivory 9831 B.S.08C31 | Mirage 9060 | Ice Blue 9166 | Tanjung 9032 | Dawn Grey 9693 B.S.9-093 |
|  |  |  |  |  |  |
| Off White 9933 | Sakura 9433 | Tropicana 9026 B.S.12E53 | Opal Green 9644 | China Blue 9642 | Venus 9002 |
|  |  |  |  |  |  |
| Jasmine 9497 B.S.4-055 | Wild Rose 9252 | Lichen Green 9011 | Sea Green 9119 | Olympic Blue 9655 | Crystal Blue 9505 |
|  |  |  |  |  |  |
| Signal Yellow 9078 | Rescue Orange 9020 | Golden Honey 9727 | Turquoise 9006 | Neptune 9031 | Smoke Grey 9695 B.S.00A05 |
|  |  |  |  |  |  |
| Golden Yellow 9456 | Signal Red 9437 | Wooden Olive 9911 | Jade 9048 | Marine Blue 9649 | Executive Grey 9104 |
|  |  |  |  |  |  |
| Middle Mast 9621 | Rustic 9332 | Deep Leather 9116 | Signal Green 9178 | Wira Blue 9035 | Middle Grey 9158 |
|  |  |  |  |  |  |
| Orange 9017 | Oak 9322 | Antique 9037 | Bottle Green 9426 B.S.14C39 | Ultra Marine Blue 9645 | Dark Grey 9012 |

TIMBER LUX

PIGMENTED WOOD VARNISH (For Exterior / Interior use)

| | | | | |
|--|---|---|---|--|
|  |  |  |  |  |
| Golden Pine TL 103 | Oak TL 116 | Olive TL 112 | KerANJI TL 115 | Walnut TL 113 |
|  |  |  |  |  |
| Gold Bar TL 101 | Golden Pumpkin TL 105 | Beech TL 106 | Mahogany TL 102 | Kossan TL 111 |
|  |  |  |  |  |
| Chengal TL 114 | Teak TL 104 | Meranti TL 107 | Rosewood TL 108 | Charcoal TL 110 |



- KOSSAN TIMBER LUX**
Kossan Timber Lux pigmented wood varnish
- Water resistant.
 - Easy for use.
 - Durable attractive appearance.
 - Emboss natural wood grains.
 - Prevent wood rot and mould growth.
 - UV resistant and will not crack, blister, peel on exposure to weather.
 - Colour shade will be differ to type of woods.



KOSSAN PAINT (M) SDN BHD KOSSAN PAINT MARKETING SDN BHD

CENTRAL HQ

1, Jalan Koporat 1/KU 9, Taman Perindustrian Meru,
42200 Kapar, Selangor Darul Ehsan, Malaysia.
Tel : +603-3392 2799 / 4296 / 4297 / 4299 / 4307
Fax : +603-3392 3799
Email : sales@kossanpaint.com.my
Website : www.kossanpaint.com

NORTH MALAYSIA Penang Branch

No. 2A, Lorong Asas Jaya 9,
Kawasan Industry Ringan Asas Jaya,
14000 Bukit Mertajam, Pulau Pinang, Malaysia
Tel : +604-504 1559 Fax : +604-506 2559
Email : kpmppg@kossanpaint.com.my

SOUTH MALAYSIA Johor Branch

No. 28 Jalan Maju Cemerlang 1,
Taman Perindustrian Maju Cemerlang,
81800 Ulu Tiram, Johor, Malaysia.
Tel : +607-859 0299 Fax : +607-859 0229
Email : kpmjib@kossanpaint.com.my

EAST MALAYSIA Sandakan Branch

Ground Floor, Lot 1 & 2, Block K,
Bandar Ramai-Ramai, Leila Road,
P.O. Box 317, 90703 Sandakan, Sabah, Malaysia
Tel : +6089-272 417 Fax : +6089-272 451
Email : kpmstdk@kossanpaint.com.my

Kota Kinabalu Branch

Lot SD 39 Semi-Detached Warehouse,
Lorong Industrial Warisan 3,
Taman Industrial Warisan Indah,
KM 11.2, Jalan Tuaran, Inanam,
88450 Kota Kinabalu, Sabah, Malaysia.
Tel : +6088-383 457 Fax : +6088-382 457
Email : kpmkk@kossanpaint.com.my

Sibu Branch

No. 6B, 2/L 10, Wong Ting Hock 1/2 Miles,
96000 Sibu, Sarawak, Malaysia.
Tel : +6084-326 291 H/P : 016-220 6291
Email : kpmssibu@kossanpaint.com.my

Bintulu Branch

No.263 (L8414), Ground Floor, Bintulu Sentral,
Jln. Kidurong, 97000 Bintulu, Sarawak, Malaysia.
Tel: 084-326 291 H/P: 016-220 6291
Email : kpmssibu@kossanpaint.com.my

