

Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

1 Identification of the hazardous chemical and of the supplier · Product identifier • Trade name: Transpoxy MIO Primer Part A • Article number: 1.65 (A) · Recommended use of the chemical and restrictions on use No further relevant information available. · Application of the substance / the mixture Coating material · Details of the supplier of the safety data sheet · Manufacturer/Supplier: KOSSAN PAINT (M) SDN. BHD. 1,Jalan Koporat 1/KU9, Taman Perindustrian Meru, 42200 Kapar, Selangor Darul Ehsan, Malaysia. · Further information obtainable from: Product safety department. *lsk@kossanpaint.com.my* • Emergency telephone number: Manufacturer/supplier 603-33922799 2 Hazard identification · Classification of the substance or mixture flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. Acute Tox. 4 H312 Harmful if in contact with skin. Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause allergic skin reaction. · Label elements • GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). · Hazard pictograms GHS02, GHS07 · Signal word Danger · Hazard statements Highly flammable liquid and vapour. Harmful if in contact with skin. Causes serious eye irritation. May cause allergic skin reaction. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces – No smoking. *Use explosion-proof electrical/ventilating/lighting equipment.* Avoid breathing dust/fume/ gas/mist/vapours/spray.

(Contd. on page 2)

MY

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

Trade name: Transpoxy MIO Primer Part A

(Contd. of page 1)

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	s components:	
78-83-1	iso-butanol	≥3-<6%
	♦ Flam. Liq. 3, H226; ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335- H336	
108-10-1	isobutyl methyl ketone	<i>≤</i> 3.0%
	🚸 Flam. Liq. 2, H225; 🚸 Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335	
108-94-1	cyclohexanone	<2.75%
	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 3, H311; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332	
107-98-2	monopropylene glycol methyl ether	<i>≤</i> 2.4%
	🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 3, H331; 🚸 STOT SE 3, H336	
1330-20-7	xylene	<1.8%
	🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
• Additional	information: For the wording of the listed hazard phrases refer to section 16.	-

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• *After swallowing:* Do not induce vomiting; call for medical help immediately.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

M٦

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

Trade name: Transpoxy MIO Primer Part A

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

78-83-1 iso-butanol (≥3-<6%)

PEL (Malaysia) Long-term value: 152 mg/m³, 50 ppm

108-10-1 isobutyl methyl ketone (≤3.0%)

PEL (Malaysia) Long-term value: 205 mg/m³, 50 ppm

(Contd. on page 4)

ΜY

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

Trade name: Transpoxy MIO Primer Part A

108-94-1 cyclohexanone (<2.7	(Contd. of page (75%)
PEL (Malaysia) Long-term va	
(kulit)	
107-98-2 monopropylene glyc	ol methyl ether (≤2.4%)
PEL (Malaysia) Long-term va	lue: 369 mg/m ³ , 100 ppm
Additional information: The la	ists valid during the making were used as basis.
Exposure controls Personal protective equipment General protective and hygien Keep away from foodstuffs, bey Immediately remove all soiled	tic measures: verages and feed.
Wash hands before breaks and Avoid contact with the eyes.	
Avoid contact with the eyes and Respiratory protection: Not re Protection of hands:	
Protective gloves	
Due to missing tests no recom chemical mixture. Selection of the glove material Material of gloves The selection of the suitable gl varies from manufacturer to m the glove material can not be c Penetration time of glove mat	has to be found out by the manufacturer of the protective gloves and has to be
Physical and chemical pr Information on basic physical General Information Appearance: Form:	
Colour:	
Colour: Odour:	Characteristic

· pH-value:

• Change in condition Melting point/freezing point

Undetermined.

Not determined.

(Contd. on page 5)

MY

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

Trade name: Transpoxy MIO Primer Part A

Initial boiling point and boiling rang	(Contd. of page 4
Flash point:	5 °C
Flammability (solid, gas)	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapout mixtures are possible.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapour pressure:	Not determined.
Density at 20 °C: Relative density Vapour density Evaporation rate	1.84 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water	Not determined.
Viscosity: Dynamic at 20 °C: Kinematic:	5,000 mPas Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- Skin corrosion or irritation No irritant effect.
- Serious eye damage or eye irritation Irritating effect.
- · Respiratory / skin sensitization Sensitisation possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Toxic

(Contd. on page 6)

MY

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

(Contd. of page 5)

Trade name: Transpoxy MIO Primer Part A

Harmful

Irritant

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, IMDG, IATA	UN1263	
UN proper shipping name		
ADR	1263 PAINT	
IMDG, IATA	PAINT	
Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
Packing group		

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

Trade name: Transpoxy MIO Primer Part A

		(Contd. of page 6)
· Environmental hazards:	Not applicable.	
• Special precautions for user • EMS Number:	Warning: Flammable liquids. F-E, S-	
• Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	UN 1263 PAINT, 3, III	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS refere	and list
78-83-1	iso-butanol
108-10-1	isobutyl methyl ketone
108-94-1	cyclohexanone
107-98-2	monopropylene glycol methyl ether
1330-20-7	xylene
 Hazard pic Signal wor Signal wor Hazard sta Highly flan Harmful if Causes seru May cause Precaution Keep away Use explose Avoid brea IF ON SKII IF IN EYES Continue rid Dispose of 	tements mable liquid and vapour. in contact with skin. ious eye irritation. allergic skin reaction. ary statements from heat/sparks/open flames/hot surfaces – No smoking. ion-proof electrical/ ventilating/lighting equipment. thing dust/fume/ gas/mist/vapours/spray. N (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. S: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do insing. contents/container in accordance with local/regional/national/international regulations.
• Directive 2	012/18/EU agerous substances - ANNEX I None of the ingredients is listed.
	igerous substances - ANNEA I None of the ingreatents is tisted. gory P5c FLAMMABLE LIQUIDS
	quantity (tonnes) for the application of lower-tier requirements 5,000 t
· Qualifying	<i>quantity (tonnes) for the application of lower-tier requirements</i> 5,000 <i>t</i> <i>quantity (tonnes) for the application of upper-tier requirements</i> 50,000 <i>t</i>

· Department issuing SDS: Product safety department.

· Contact: Mr. S.K. Lim

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

Printing date 19.04.2021

Version number 1

Revision: 19.04.2021

Trade name: Transpoxy MIO Primer Part A

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Irrit. 2: Skin corrosion or irritation – Category 2 Eye Dam. 1: Serious eye damage or eye irritation – Category 1 Eye Irrit. 2: Serious eye damage or eye irritation – Category 2	(Contd. of page 7)
Skin Irrit. 2: Skin corrosion or irritation – Category 2 Eye Dam. 1: Serious eye damage or eye irritation – Category 1	
Eye Irrit. 2: serious eye damage or eye irritation – Category 2 Skin Sens. 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.	MY